


Sockets, Straps & Strike Plates

A selection of accessories for use with Surface and Flush fitted Door Bolts.



▲ **0600 Dust Excluding Socket** for mastic fixing into wooden floors or cementing into stone floors



▲ **0603 Easy Clean Socket** no fixings supplied




▲ **0620 Dust Excluding Socket** with removable plunger for cleaning & maintenance



▲ **0604 Easy Clean Socket** supplied with finish matched screws & rawl plugs

| | D (diameter) | d (diameter) | M (depth of mortice) | to suit shoot size |
|--------|--------------|--------------|----------------------|--------------------|
| 0600/A | Ø 27 | Ø 19 | 45 | Ø 11 max |
| 0600/B | Ø 32 | Ø 22 | 45 | Ø 13 max |
| 0620 | Ø 45 | Ø 22 | 48 | Ø 11 max |
| 0603 | - | - | 20 | Ø 13 max |
| 0604 | - | - | 20 | Ø 13 max |



Fixings

0603 - no fixings supplied.

0604 - supplied with finish matched no.6 x 38mm wood screws & rawl plugs.

0620 & 5640ASP - supplied with finish matched no.6 x 19mm wood screws.

5642 - supplied with no.6 x 19mm stainless steel wood screws.

How to Order


1) select PRODUCT (e.g. **0620**)

2) add FINISH (e.g. 0620**PC**)

0600 only - add SIZE (e.g. 0600**PB/A**).


Finishes - See our price list or website for finish availability.

5642 supplied mill finish stainless steel only.



For strengthening the fixing of door face fitted Flush Bolts to help prevent doors splitting when inadvertently closed with the Bolt Shoot still thrown.







▲ **5642 Cross Strap** for flush bolts (mill finish stainless steel only)










▲ **5640ASP Angle Strike Plate** designed for use with Ø 11mm flush bolt shoots


Strike Plates







TYPE 1 used with both 13mm x 13mm & 16mm x 13mm Bolt Shoots


| | |
|--|--|
|  |  |
| ▲ FSP1 Flat Strike Plate | |
|  |  |
| ▲ ASP1 Angle Strike Plate | |
|  |  |
| ▲ USP1 Universal Strike Plate | |







TYPE 2 14mm x 8mm Bolt Shoot/Cremone Rod 

| | |
|---|--|
|  |  |
| ▲ FSP2 Flat Strike Plate | |
|  |  |
| ▲ ASP2 Angle Strike Plate | |
|  |  |
| ▲ USP2 Universal Strike Plate | |

TYPE 3 10mm x 10mm Bolt Shoot/Cremone Rod 

| | |
|---|---|
|  |  |
| ▲ FSP3 Flat Strike Plate | |
|  |  |
| ▲ ASP3 Angle Strike Plate | |
|  |  |
| ▲ USP3 Universal Strike Plate | |

TYPE 4 13mm x 6mm Bolt Shoot/Cremone Rod 

| | |
|--|---|
|  |  |
| ▲ FSP4 Flat Strike Plate | |
|  |  |
| ▲ ASP4 Angle Strike Plate | |
|  |  |
| ▲ USP4 Universal Strike Plate | |

Fixings

Supplied with finish matched no.6 x 19mm wood screws.

How to Order

- 1) select PLATE (e.g. **FSP2**)
- 2) add FINISH (e.g. **FSP2/PC**)

Finishes - See our price list or website for finish availability.

Staples & Guides



▲ **0445ST** Staple (13mm x 13mm bolt shoot)




▲ **0454ST** Staple (16mm x 13mm bolt shoot)



▲ **ST3** Staple




▲ **RGST3** Rod Guide/Staple




▲ **RG3** Rod Guide



▲ **ST2** Staple




▲ **RGST2** Rod Guide/Staple



▲ **RG2** Rod Guide (reversible for LH or RH use)



▲ **RGST4** Rod End Guide/Staple



▲ **RG4** Rod Centre Guide

Fixings

Supplied with finish matched wood screws:
0445ST, 0454ST & type 2 - no.8 x 25mm;
type 3 - no.6 x 25mm; type 4 - no.6 x 32mm.

How to Order

- 1) select ROD GUIDE/STAPLE (e.g. **RG3**)
- 2) add FINISH (e.g. **RG3/PC**)

Finishes - See our price list or website for finish availability.