



# SAFES & CABINETS



**AC LEIGH**  
ARCHITECTURAL IRONMONGERS  
SECURITY SPECIALISTS



# SAFES & CABINETS

Our range of freestanding safes offers the most comprehensive selection, whilst maintaining clear areas of specialty. Each safe is given a cash rating depending on its ability to resist attack, which is designed to help you choose the model which best meets your needs. Our Euro Graded Safes offer maximum protection with full VdS Test House approval and provides a robust solution for storing money and valuables in either domestic or commercial environments.



## CERTIFICATION & TESTING

### INDEPENDENT TESTING

Many Securikey cash and fire safes have undergone independent testing to European standards. Each is approved and certified after undergoing a rigorous and exhaustive series of technical and practical tests, for use within a diverse range of applications and environments. This is signified by the issuing and mounting of the appropriate badge showing the name of the test house and model number.

In addition, Securikey also include an insurance certificate, detailing the recommended level of protection.



£100,000

### CASH RATING

Each Securikey safe is tested and classified by the level of security it provides and designated by a cash rating from £1,000 up to £100,000. For the storage of valuables, ratings can be calculated by multiplying the cash amount by 10. These ratings are a guide and it's important that you liaise with your insurance company prior to any installation.



30mins  
750°

### FIRE PROTECTION RATING

The level of fire protection provided is indicated by the use of this icon, signifying the temperature and time duration achieved. This rating is established from both our own 'in-house' test and independent European testing. Where protection is less than 60 minutes, this has been achieved with the inclusion of a barrier material tested to DIN 4102.

### SECURIKEY STANDARDS

Where no clear industry standards exist, Securikey has developed its own rating system to aid product selection. We have applied over 40 years experience within the security industry to these standards, and found them to be an excellent measure of strength and durability.



Gold Rated

Gold

Products which provide the highest possible standard of security in each range.



Silver Rated

Silver

Offering additional security and strength, over and above Bronze level.



Bronze Rated

Bronze

Where a base level of protection or security is required.

### INSTALLATION

Our specialist network of installers is able to deliver and fix any of our safes/cabinets within the UK Mainland. The majority of these installations can be carried out by the completion of a simple risk assessment form downloadable from our website [www.securikey.co.uk](http://www.securikey.co.uk). More complex situations may require a site survey.

### WARRANTY

Securikey branded products offer a 2 year warranty in respect of materials and workmanship.\* Master Lock Security branded products carry a lifetime Guarantee.

\*Warranty applicable to the lock is limited to that offered by the lock's manufacturer.

Disclaimer: Title in any goods supplied remains vested in Securikey Limited, until the purchase price, handling and transport charges have been paid. Securikey must be notified within 48 hours of receipt if goods have been damaged in transit. The delivery slip must be marked accordingly. Every effort has been made to ensure that the information in this brochure is correct. We have a policy of continually developing and improving our products and reserve the right to change specification without notice. By virtue of the Trades Description Act 1968 all measurements and weights must be considered approximate.

### ACCREDITATIONS

In addition to our ISO 9001 certification, Securikey are members of both the Master Locksmiths Association (MLA) and Eurosafe. All of these organisations promote the highest standards within the security industry. The inclusion of the 'AIS Approved' logo re-enforces the importance of independent testing.







## LOCKING OPTIONS

Unless otherwise stated Securikey products will be supplied with a key lock as standard. The type of lock will depend upon its position within the range. Securikey recognise that there may be a requirement to add or alter the standard locking configuration. It is for this reason we offer the following alternatives.



### A REVO B/BR

Full function lock with multiple user codes, audit trail and time locking to prevent unauthorised entry during specific time zones.



### E MECHANICAL PUSH BUTTON LOCK

A push button lock similar to those used extensively within offices in the UK. This lock type is available in both deadbolt and slam lock option.



### I LA GARD 39E

VdS Class 2 electronic lock with time delay and 63 event audit trail (software required).



### B 3/4-WHEEL MECHANICAL COMBINATION

A combination lock used extensively in the safe industry. Offers in excess of 1 million combinations.



### F CL1000

Entry level electronic lock with programmable 4-digit code, designed to replace the standard Cam Lock.



### J EDL 77

High quality and extremely reliable electronic lock with selectable code lengths from 4-14 digits, 2 user code option and low battery warning.



### C REVO A

A heavy duty lock offering up to 9 user codes and time delay of up to 99 minutes.



### G WITTKOPP PRIMOR 2000

VdS Class 2 lock with 2 user code and time delay facility.



### K LA GARD 66E

Multi user electronic lock with 512 event audit. Programmable features include time delay, time delay override, dual combination, silent alarm and remote signal override.



### D PADLOCKING CAM LOCK

Designed to replace the standard Cam Lock, this option accepts a padlock with 8mm diameter shackle (max).



### H M-LOCK

A simple to operate 2 user code lock with audible indication.



### L KABA 525

Designed for use in the high security sector. Provides a wide range of functions such as a User Group management, Courier Code, Dual Mode, Duress Code.

Images shown may not be indicative of the lock fitted

## LOCKING OPTIONS GUIDE

	Locking Option	High Security Key Cabinets	Floor Standing Systems	Key Vault Cabinets	System Key Cabinets	Euro Cylinder Systems	Padlock Security Systems	Key View Systems	Perforable Key Systems	Emergency Key Boxes	Mini Vault Silver & Deposit	Mini Vault Gold ER	Euro Grade 0 015/005	Euro Grade 0085 - 0095	Euro Grade 105M - 1055M	Euro Grade 108M - 1780M	Euro Grade 2040M	Euro Grade 2050M - 2780M	Euro Grade 3	Euro Grade 4 - Dual locking	Euro Grade 5 - Dual locking	Protector Under Floor Safes	Steel Stor & Deposit	Fire Safe St
<b>Mechanical</b>																								
Standard Cam Lock	●	-	-	-	●	-	●	●	●	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3-Wheel Combination	B	▲	▲	▲	▲	-	▲	-	-	-	-	-	-	-	▲	▲	▲	▲	-	●	●	▲	▲	▲
4-Wheel Combination	B	■	■	■	■	-	■	-	-	-	-	-	-	-	■	■	■	■	-	■	■	■	■	■
Padlocking Cam Lock	D	-	-	-	▲	-	▲	▲	▲	▲	-	-	-	-	-	-	-	-	-	▲	▲	■	■	■
Mechanical Push Button Lock	E	-	-	▲	-	▲	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Euro Profile Cylinder	●	-	-	●	-	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Star VdS Class 1	●	●	-	-	-	-	-	-	-	-	●	●	-	-	-	-	-	-	-	-	-	-	-	-
Mauer President VdS Class 1	●	-	●	-	-	-	-	-	-	-	-	●	●	●	●	●	●	●	-	-	-	●	●	●
Mauer President VdS Class 2	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	●	●	●	-	-	-
<b>Electronic</b>																								
Revo 'B'	A	■	■	■	■	-	■	-	-	-	-	-	-	-	-	-	-	-	▲	■	■	■	■	■
Revo 'BR' Redundancy Feature	A	■	■	■	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	▲	▲	-	-	-
Revo 'A'	C	▲	▲	▲	▲	-	▲	-	-	-	-	-	-	▲	-	-	-	-	-	-	-	-	▲	▲
CL 1000	F	-	-	-	▲	-	▲	▲	▲	▲	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wittkopp Primor 2000	G	■	■	■	-	-	■	■	■	■	■	■	▲	-	■	■	■	■	-	-	-	-	-	-
La Gard 39E	I	■	■	■	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	■	■	■	■	■
EDL 77	J	-	-	-	-	-	-	-	-	-	▲	▲	-	-	-	-	-	-	-	-	-	-	-	-
La Gard 66E	K	■	■	■	■	-	-	-	-	-	-	-	-	-	-	-	-	-	-	■	■	■	■	■
Kaba 525	L	■	■	■	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	■	■	■	■	■

Key: ● Standard Supply ▲ Standard Option ■ Alternative Option



Bronze Rated

## EURO VAULT

(£1,500 cash rating)\*

### KEY LOCK VERSION:

Utilizing the same build quality as our Mini Vault range this safe will take a laptop, cash drawer, box file or valuables and is available with either a motorised electronic lock with keypad for the convenience of keyless entry or Euro Profile Cylinder, for those customers who wish to integrate their safe with house or business security arrangements. Perfect for any situation where cost and flexibility are paramount.

- Manufactured with a 2mm body and 4mm anti-bludgeon flush fit door, with 20mm hardened steel locking bolts.
- Supplied with Euro Profile half cylinder.

### ELECTRONIC VERSION:

- Locking is via a motorised lock with keypad.
- The lock has a single use code similar to those used in hotels, this means the user code can be changed each time the safe is used.
- A management override key and master code ensures emergency entry at all times.



Optional Internal light



Euro Profile Cylinder



£1,500

### EURO VAULT

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)	Shelves
	Height	Width	Depth	Height	Width	Depth			
Euro Vault Key	200	500	400	195	495	350	17	34	-
Euro Vault Electronic	200	500	400	195	495	350	17	34	-

\*Insurance ratings may vary dependent on risk & location. Please check with your insurers.



Silver Rated

## MINI VAULT SILVER (£3,000 cash rating)\*

The Mini Vault Silver is ideal for the safekeeping of cash and valuables. Whilst the manufacturing techniques used provide a robust unit for domestic and commercial applications, its internal fittings are those you would expect to protect delicate valuable, such as watches, jewellery and electronic tablets. This protection is achieved by utilising an anti-bludgeon laser cut door (to prevent prying and chisel attack) mounted on concealed hinges and hardened steel plates to protect all vulnerable areas.


- Manufactured with a 4mm body and 8mm anti-bludgeon flush fit door, with 25mm hardened steel locking bolts.
- Available in 3 sizes, plus 2 deposit options.
- A choice of key or electronic locking mechanisms, the electronic options offers changeable codes, low power warning and LED indicators.
- All models have felt lined walls, thick foam base pad, jewellery shelf\*\* and battery operated motion sensitive light.



Jewellery Shelf



Concealed Hinge & Dog Bolt



### MINI VAULT SILVER

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)	Shelves
	Height	Width	Depth	Height	Width	Depth			
Mini Vault 0	250	374	274	240	354	210	22	18	-
Mini Vault 1	294	374	325	282	354	260	29	26	1
Mini Vault 2	532	374	425	522	354	360	52	67	2

\* Insurance ratings may vary dependent on risk & location. Please check with your insurers. \*\* Where applicable





Gold Rated

## MINI VAULT GOLD FR

(£4,000 cash rating)\*

The Mini Vault Gold FR is ideal for the safekeeping of documents, valuables and cash. Whilst the manufacturing techniques used are intrinsically the same as Mini Vault Silver the FR model benefits from a double walled construction, with a fire resistant barrier material to DIN 4102. The inclusion of this second level of protection gives the FR model a higher cash rating in addition to its fire protection.

- Fire protection for 30 minutes at temperatures of up to 750°C.
- Combined body thickness of 6mm, an 8mm anti-bludgeon door with 25mm hardened steel locking bolts.
- Available in 3 sizes.
- Choice of key or electronic locking mechanisms. The electronic options offer changeable codes, multiple users, low power warning and LED indicators.
- All models include jewellery shelf\*\* and battery operated motion sensitive light, fixing bolts, batteries and operating instructions.

Mini Vault 2 FR



Mini Vault Gold FR Range



### MINI VAULT GOLD FR

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)	Shelves
	Height	Width	Depth	Height	Width	Depth			
Mini Vault 0 FR	250	374	274	138	304	168	25	7	-
Mini Vault 1 FR	294	374	325	182	304	220	32	12	1
Mini Vault 2 FR	532	374	425	420	304	320	62	41	2


\*Insurance ratings may vary dependent on risk & location. Please check with your insurers. \*\*Where applicable.



## EURO GRADE o (£6,000 cash rating)\*

Constructed to exceed the criteria laid down by the insurance and security industry, these Euro Grade 'o' safes are also designed to blend in with today's modern environments, a subtle combination of material and components that function well beyond our customers expectations. The lightweight construction encourages increased installation opportunities with fixing made through twin based anchor points.

- 30 minutes protection from fire at 750° C
- Manufactured in accordance with EN 1143-1:2005 and independently tested and certified by VdS test house
- 3-way square locking bolt work, with continuous hinge side protection
- Door opens to 205° for maximum access
- Fitted with VdS class 1 double bitted safe lock & 2 keys
- Optional combination or electronic locking available
- Internal door pan is locked to prevent tampering
- Supplied with adjustable (50mm intervals) / removable shelf



Electronic Locking Option



Adjustable shelf



### EURO GRADE o SINGLE KEY LOCK

Model	External Dimensions (mm)			Internal Dimensions (mm)			Approx. Weight (kg)	Volume (l)	Shelves
	Height	Width	Depth	Height	Width	Depth			
EG015 <sup>1</sup>	395	325	300	334	275	180	72	17	1
EG025 <sup>2</sup>	395	405	345	334	355	225	91	27	1
EG035 <sup>1</sup>	395	405	425	334	355	305	105	36	1
EG055 <sup>1</sup>	570	405	425	509	355	305	135	55	1
EG085	570	505	495	509	455	375	172	87	1
EG095	755	505	425	694	455	305	192	96	1

<sup>1</sup>60mm extra depth with handle and different locks <sup>2</sup>Locking option G available only <sup>3</sup>Insurance ratings may vary dependent on risk & location. Please check with your insurers.





## EURO GRADE 1 (£10,000 cash rating)\*

Using the latest technology and with close consultation with what is recognised as one of the best independent test houses, these safes have been designed to perform under the toughest conditions. Their ultra modern appearance and lightweight construction allows integration in to most environments.


- Tested and certified according to EN 1143-1 Security Grade 1.
- Fitted with solid steel sliding bolts on three sides, continuous hinge protection and a single security key lock.
- Multiple locking options available.
- Fire resistant door seal and base fixing point with rear fixing option included as standard.
- Optional fittings include adjustable shelving, a lockable compartment, metal door pocket and a rotary or tube deposit facility.
- Dual locking available on models 1095N to 1780.
- Bespoke RAL colours available – please contact us for details.



3-Way Locking Bolts



Electronic Locking Option



### EURO GRADE 1 SINGLE KEY LOCKING

Model	External Dimensions (mm)			Internal Dimensions (mm)			Approx. Weight (kg)	Volume (l)	Lever Arch Files	Shelves
	Height	Width	Depth <sup>1</sup>	Height	Width	Depth				
1015N <sup>1</sup>	410	335	300	334	275	180	55	17	–	1
1025N <sup>1</sup>	410	415	345	334	355	225	75	27	–	1
1035N <sup>1</sup>	410	415	425	334	355	305	85	36	4	1
1055N <sup>1</sup>	585	415	425	509	355	305	105	55	4	1
1085N	585	515	495	509	455	375	130	87	6	1
1095N	770	515	425	694	455	305	155	96	12	1
1120N	940	515	425	864	455	305	180	120	12	2
1180N	1,120	515	495	1,044	455	375	225	178	18	2
1410N	1,475	765	535	1,399	705	415	375	409	36	3
1535	1,850	840	580	1,720	730	415	495	521	45	4
1780 <sup>1</sup>	1,850	1,190	580	1,720	1,080	415	665	771	70	4

<sup>1</sup>60mm extra depth with handle and different locks. <sup>2</sup> Locking option G available only. <sup>3</sup> Double doors.

\*Insurance ratings may vary dependent on risk & location. Please check with your insurers.



## EURO GRADE 2 (£17,500 cash rating)\*

As with all our Euro Graded safes this model is constructed from solid steel with a composite slab door. The smallest model at 39litres capacity is one of the most compact Grade 2 safes in the market today. With a range extending to a capacity of 771litres there is a model to suit virtually any application.


- Tested and certified according to EN 1143-1 Security Grade II.
- Fitted with solid steel sliding bolts on three sides, continuous hinge protection and a single security key lock.
- Multiple locking options available.
- Fire resistant door seal and base fixing point with rear fixing option included as standard.
- Optional fittings include adjustable shelving, a lockable compartment, metal door pocket and a rotary or tube deposit facility.
- Dual locking available on models 2070N to 2780.
- Bespoke RAL colours available – please contact us for details.



Bespoke RAL colours available



Auditable Electronic Lock Option



### EURO GRADE 2 SINGLE KEY LOCKING

Model	External Dimensions (mm)			Internal Dimensions (mm)			Approx. Weight (kg)	Volume (l)	Lever Arch Files	Shelves
	Height	Width	Depth <sup>1</sup>	Height	Width	Depth				
2040N <sup>2</sup>	430	460	450	334	380	305	137	39	5	1
2070N <sup>2</sup>	605	535	450	509	455	305	200	71	6	1
2095N <sup>2</sup>	790	535	450	694	455	305	247	96	12	1
2175N <sup>2</sup>	960	610	530	864	530	385	344	176	14	2
2215N <sup>2</sup>	1,140	610	530	1,044	530	385	397	213	21	2
2285N <sup>2</sup>	1,495	610	530	1,399	530	385	501	285	28	3
2395N <sup>2</sup>	1,495	760	560	1,399	680	415	599	395	36	3
2440N <sup>2</sup>	1,320	760	675	1,224	680	530	585	441	27	2
2535 <sup>3</sup>	1,850	840	580	1,720	730	415	815	521	45	4
2780 <sup>4</sup>	1,850	1,190	580	1,720	1,080	415	1,045	771	70	4

<sup>1</sup>60mm extra depth with handle and different locks. <sup>2</sup>Locking option G available only. <sup>3</sup>Dual locking available on models 2070N to 2780. <sup>4</sup>Double doors.

\*Insurance ratings may vary dependent on risk & location. Please check with your insurers.



## EURO GRADE 3 (£35,000 cash rating)\*

A safe tested to Grade 3 as well as providing a cash rating of up to £35,000 will also provide valuables cover of up to £350,000. This rule (x10) can be applied to the safes in all of the Securkey ranges.


- Tested and certified according to EN 1143-1 Security Grade III.
- 3-way 40mm locking bolts, continuous hinge protection and a single high security key lock or digital keypad to EN1300.
- Fire resistant door seal and base fixing point with rear fixing option included as standard.
- Standard fittings include adjustable shelving and an alarm connection loop.
- Optional fittings include a lockable inner compartment, metal door pocket and a rotary or tube deposit facility.
- Dual locking available on all models.
- Bespoke RAL colours available – please contact us for details.



Lockable Compartment



Solid External Hinges & Fire Seal



### EURO GRADE 3 SINGLE KEY LOCKING

Model	External Dimensions (mm)			Internal Dimensions (mm)			Approx. Weight (kg)	Volume (l)	Lever Arch Files	Shelves
	Height	Width	Depth <sup>1</sup>	Height	Width	Depth				
3070N	600	535	464	509	455	305	275	71	6	1
3095N	785	535	464	694	455	305	340	96	12	1
3175N	955	610	544	864	530	385	480	176	14	2
3215N	1,135	610	544	1,044	530	385	550	213	21	2
3285N	1,490	610	544	1,399	530	385	660	285	28	3
3395N	1,490	760	574	1,399	680	415	830	395	36	3
3440N	1,315	760	689	1,224	680	530	860	441	27	2
3535	1,850	840	580	1,720	730	415	990	521	45	4
3780 <sup>2</sup>	1,850	1,190	580	1,720	1,080	415	1,305	771	70	4

<sup>1</sup>60mm extra depth with handle and different locks. <sup>2</sup>Double doors. • Dual locking available on all models.

\*Insurance ratings may vary dependent on risk & location. Please check with your insurers.





## EURO GRADE 4 & EURO GRADE 5 DUAL LOCKING (£60,000, Grade 4 or £100,000, Grade 5)\*

Euro Grade 4 and 5 offer the ultimate in cash and valuables protection. Typical installations include Banks, Diamond Merchants and Casinos.

- Tested and certified according to EN 1143-1 and fitted with 2 locks to EN 1300.
- Fitted with 40mm steel sliding bolts.
- Fire resistant door seal and base fixing points.
- Electronic locking options available.
- Standard fittings include adjustable shelving and alarm connection loop.
- Optional lockable inner compartment, metal door pocket and rotary or tube deposit facility.
- Bespoke RAL colours available – please contact us for details.



### EURO GRADE 4 DUAL LOCKING (KEY/MECHANICAL COMBINATION)

Model	External Dimensions (mm)			Internal Dimensions (mm)			Approx. Weight (kg)	Volume (l)	Lever Arch Files	Shelves
	Height	Width	Depth <sup>1</sup>	Height	Width	Depth				
4080N	600	610	464	509	530	305	315	82	7	1
4095N	785	535	464	694	455	305	355	96	12	1
4175N	955	610	544	864	530	385	495	176	14	2
4215N	1,135	610	544	1,044	530	385	565	213	21	2
4285N	1,490	610	544	1,399	530	385	675	285	28	3
4395N	1,490	760	574	1,399	680	415	845	395	36	3
4440N	1,315	760	689	1,224	680	530	875	441	27	2
4535	1,850	840	580	1,720	730	415	1,165	521	45	4
4780 <sup>2</sup>	1,850	1,190	580	1,720	1,080	415	1,450	771	70	4

<sup>1</sup> 60mm extra depth with handle and different locks. <sup>2</sup> Double doors. <sup>3</sup> Doors open to 205°. <sup>4</sup> Insurance ratings may vary dependent on risk & location. Please check with your insurers.



### EURO GRADE 5 DUAL LOCKING (KEY/MECHANICAL COMBINATION)

Model	External Dimensions (mm)			Internal Dimensions (mm)			Approx. Weight (kg)	Volume (l)	Lever Arch Files	Shelves
	Height	Width	Depth <sup>1</sup>	Height	Width	Depth				
5100 <sup>3</sup>	840	620	566	680	440	320	705	96	10	1
5150 <sup>3</sup>	1,190	620	566	1,030	440	320	935	145	15	2
5245 <sup>4</sup>	1,380	710	621	1,220	530	375	1,280	242	21	2
5280 <sup>4</sup>	1,530	710	621	1,370	530	375	1,325	272	28	3
5535 <sup>4</sup>	1,880	910	661	1,720	730	415	1,880	521	45	4
5780 <sup>4</sup>	1,880	1,260	661	1,720	1,080	415	2,380	771	70	4

<sup>1</sup> 60mm extra depth with handle and different locks. <sup>2</sup> Double doors. <sup>3</sup> Doors open to 205°. <sup>4</sup> Doors open to 170°. <sup>5</sup> Insurance ratings may vary dependent on risk & location. Please check with your insurers.

## UNDERFLOOR & DIY SAFES

(Up to £10,000 cash rating)\*

Underfloor safes are designed for installation in a concrete style floor. The level of protection provided due to the nature of the installation and location possibilities is huge. Our DIY safe range is deemed suitable for installation with little or no specialist knowledge. Advice on the installation of this product will be provided at point of purchase.

### PROTECTOR RANGE:

- Available in five models with a choice of interchangeable doors covering 3 cash ratings.
- High level of security with interlocking bolts controlled by a key or keyless combination and anti-drill features.
- ABP models protect against thermal attack.

### HOUSESAFE RANGE:

- Available in three models and secured with a high quality safe lock.
- Economic way of protecting cash, valuables, vital documents.

### DIY RANGE:

- Secure storage for A4 papers, passports, insurance certificates or jewellery.
- Models to install under a timber floor or for surface mounting.

Strongbox Extra  
Euro Profile Lock



£1,000

### DIY SAFES

Model	External Dimensions (mm)			Weight (kg)
	Height	Width	Depth	
Strongbox Extra Euro Profile Lock	130	400	235	12
Cupboard Safe Euro Profile Lock	130	350	235	12
Strongbox Extra	130	400	235	12.5



£3,000

### HOUSESAFE – BODY AND DOOR

Model	External Dimensions (mm)			Weight (kg)
	Height <sup>1</sup>	Width	Depth	
Housesafe Extra – Size 1	330	230	305	17
Housesafe Extra – Size 2	405	305	305	23
Housesafe Extra Deposit	405	305	305	24

<sup>1</sup>Includes neck height of 100mm. • Aperture – 166 x 166mm.

\*Insurance ratings may vary dependent on risk & location. Please check with your insurers.

Protector ABP Door



Up to  
£10,000

### PROTECTOR – BODIES

Model	External Dimensions (mm)			Weight (kg)
	Height <sup>1</sup>	Width	Depth	
Protector 1	380	360	270	14.5
Protector 2	470	360	270	16.5
Protector 3 Deposit	470	360	270	18.5
Protector 4	560	360	270	18.5
Protector 5 Deposit	560	360	270	20.5

<sup>1</sup>Includes neck height of 150mm. • Aperture – 227 x 180mm.

### PROTECTOR – DOORS

Model	External Dimensions (mm)			Weight (kg)	Cash Rating
	Height	Width	Depth		
Protector Minor	–	247	200	7.5	£4,000
Protector	–	247	200	10.5	£6,000
Protector ABP <sup>2</sup>	–	247	200	11	£10,000

<sup>2</sup>Extra Protection against attack with Dry-Acetylene.

## DEPOSIT SAFES

In most commercial environments there is a need for a deposit safe, somewhere where you can safely deposit items such as cash, keys and other valuables without the need for keys and codes to open the safe and without drawing attention to its existence. Securikey provides a wide range of quality deposit safes, with a variety of cash ratings and deposit methods, which offer total flexibility in the workplace.

### MINI VAULT SILVER

- Ideal under desks or counters.
- Available with letter slot deposit (Mini Vault 1) or front hopper deposit (Mini Vault 2).

### EURO GRADE

- A wide range of models suitable for most applications.
- A choice of 3 different deposit methods including rotary drum, slot or tube.
- The secondary installation of a rotary drum or capsule deposit requires removal of the VdS badge. Please inform your insurers accordingly.

### UNDERFLOOR SAFES

- Ideal for use where space is at a premium.
- Deposit tube diameter is 52mm.

### STEEL STOR

- SCDR48 offers a top loading rotary deposit drum with a 90mm x 250mm aperture, sprung returned so the drum is always closed.
- SC60 and SC100 can be supplied with a front loading rotary drum deposit, having an aperture of 90mm x 200mm x 220mm.
- SC60WDD is equipped with a lockable front deposit drawer thus removing the need to open the cabinet. It features a 240mm x 160mm x 75mm drawer aperture.



Rotary Drum



Mini Vault 2 Deposit



SC60WDD

### STEEL STOR

Model	External Dimensions (mm)			Weight (kg)
	Height	Width	Depth	
SCDR48	480	320	320	42
SC60WDD*	760	540	400	110

\*Supplied with 1 shelf and 2 door boxes.

### UNDERFLOOR SAFES

Model	External Dimensions (mm)			Weight (kg)
	Height	Width	Depth	
Housesafe Extra Deposit	305	305	305	24
Protector 3 Deposit Body	320	360	270	18.5
Protector 5 Deposit Body	410	360	270	20.5

\*Excludes neck.

### MINI VAULT SILVER

Model	External Dimensions (mm)			Internal Dimensions (mm)			Aperture Size (mm)		Weight (kg)	Volume (l)
	Height	Width	Depth	Height	Width	Depth	Height	Width		
Mini Vault 1 Deposit	294	374	325	210	365	260	20	140	31	15
Mini Vault 2 Deposit	532	374	425	260	365	360	100	250	57	34

\*Insurance ratings may vary dependent on risk & location. Please check with your insurers.

### EURO GRADE

Model	Aperture Size		
	Height	Width	Depth
Rotary Drum	90	200	220
Slot Deposit	To customer specification		
Tube Deposit	To customer specification		



## GUN CABINETS

These gun and ammunition cabinets exceed the UK standard (BS 7558) for storing firearms and utilise 3-way 25mm locking bolts, secured by a single high security key lock to EN 1300. Concealed hinges and continuous hinge side protection offer superior resistance from attack.

- Multi point locking with 8-lever safe lock.
- Gun cabinets are supplied with a trigger lock to prevent unauthorised use of a firearm during transportation.
- Ammunition cabinet is supplied with 2 shelves.



Fixed Shelf - Turnbull 2



Trigger Lock



High Security 8 lever safe lock

### GUN CABINETS

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Max. Capacity (Weapons)
	Height	Width	Depth <sup>1</sup>	Height	Width	Depth		
Turnbull 1*	1,250	300	285	1,230	290	220	63	7
Turnbull 2*	1,500	380	285	1,480	370	220	84	9
Ammunition Cabinet	532	374	230	522	354	165	38	-

<sup>1</sup> Includes a free gun trigger lock 90D for use during transportation. • Turnbull 2 - 1260mm to underside of fixed shelf

## STEEL STOR (£3,000 cash rating)\*

The Steel Stor range is extremely well suited to the secure storage of controlled drugs, cigarettes, bags of change examination papers and other bulky valuable items. Subjected to a severe burglary and attack test, these cabinets are used in many Hospitals, Government Departments, Schools and Retail premises.

- Subjected to a severe Norwegian burglary test.
- 4mm steel body with 3-way locking bolts and a VdS class 1 approved safe lock.
- Fitted with a continuous dog bar over the hinged side of the door and hardened plates to protect against attack.
- Cabinet is supplied with prepared base fixing points, shelves and door boxes.
- Dual locking facility available on all models, (except SC060).
- Additional fittings available - Shelves, Rotary Drum Deposit (SC060 & SC100 only).
- Used extensively by Government offices, when fitted with the appropriate approved lock.



Door Boxes



8 C £3,000

SC100



### STANDARD

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)	Shelves	Door Boxes
	Height	Width	Depth	Height	Width	Depth				
SC060	600	540	400	565	520	320	67	94	1	2
SC100	1,000	600	450	965	580	370	154	207	2	3
SC149	1,490	540	400	1,455	520	320	158	247	3	4
SC160	1,600	600	450	1,565	580	370	192	336	3	4
SC160D	1,600	600	700	1,565	580	620	235	563	4	4
SC180D	1,800	850	700	1,765	830	620	302	908	4	12

\*Insurance ratings may vary dependent on risk & location. Please check with your insurers.

## MEDICAL STORAGE

Our range of Medical Storage Cabinets are designed using our extensive knowledge of the protection and control of cash and valuables. The 'Bronze Level' Medical Cabinet is suitable for storing general First Aid items, whilst the 'Silver & Gold' units are perfect for controlled drugs that are governed by the Home Office Drugs Inspectorate direction of control.

- **Bronze level** cabinet features: 1.5mm pressed steel construction with security cam lock, 2 loose shelves and lockable inner compartment.
- **Silver level** cabinet features: 4mm body with 8mm anti-bludgeon door fitted with 8-lever safe lock to EN 1300 and includes 2 shelves.
- **Gold level** cabinet features: 4mm body and door with multi point locking. Shelves and door boxes included to maximise the space available

Gold and Silver cabinets conform to the construction required for the misuse of drugs (safe custody) regulation 1973.



Gold Rated



Medical Cabinet



Bronze Rated



Medicine Cabinet



Silver Rated

### MEDICAL

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Volume (l)	Shelves	Door Boxes
	Height	Width	Depth	Height	Width	Depth				
Medical Cabinet	550	380	205	-	-	-	11	-	2	-
Medicine Cabinet	532	374	230	522	354	165	38	30	2	-
Steel Stor SC100*	1,000	600	450	965	580	370	154	207	2	3

\* Alternative sizes available







# FIRE SAFES & CABINETS

In the aftermath of a fire, access to important documents such as insurance policies, wills, passports and certificates is essential to getting back on your feet. The Securikey range of modern, high security, fire resistant safes and vaults is manufactured to the highest standards and independently tested and approved for both fire protection and physical attack.





# FIRE VAULT & FIRE RESISTANT FILING CABINETS

(£2,000 cash rating)\*

## FIRE RESISTANT FILING CABINETS:

- Designed for the safekeeping of paper files.
- Adjustable hanging rails accept all file sizes.
- Independently tested and certified.
- Drawers are mounted on a rugged suspension system.
- Flush handles to prevent injury.

## FIRE VAULT:

- Independently tested and certified.
- Withstands temperatures of up to 950°C for an hour.
- Reliable electronic lock with selectable code lengths.
- All models feature key hanger, drawer and shelf.\*\*
- Optional non-invasive fixing system available.



## FILING CABINETS

Model	External Dimensions (mm)			Weight (kg)
	Height	Width	Depth	
4-Drawer Filing Cabinet	1,406	528	675	266



## FIRE VAULT

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Capacity (l)	Shelves
	Height	Width	Depth	Height	Width	Depth			
Fire Vault 0 <sup>1</sup>	360	412	363	260	320	234	34	19	-
Fire Vault 1 <sup>1</sup>	420	352	433	320	260	304	37	25	1
Fire Vault 2 <sup>1</sup>	522	404	440	410	300	300	56	37	1

\* Can be supplied with a non-invasive fixing base plate to prevent removal. This secures the safe to the floor without compromising the integrity of the fire protection. \*\* Insurance ratings may vary dependent on risk & location. Please check with your insurers. <sup>1</sup> Where applicable.







## FIRE STOR (£2,000 cash rating)\*

Our range of secure fire and burglary resistant storage cabinets are an affordable solution for the safekeeping of both valuables and documents. The cabinets are double-walled with fire resistant filling, providing 30 minutes resistance at temperatures of up to 750°C. In addition to this protection they have undergone a burglary test and so are well suited to the storage of valuables up to the value of £20,000.

- Tested and complies with EN 14450 – S1.
- Double walled construction with fire resistant filling to DIN 4102.
- Fire resistant for 30 minutes at temperatures of 750°C.
- Each model is fitted as standard with five heavy-duty locking bolts secured on three sides and a VdS approved safe lock.
- Additional options include an internal lockable compartment (180mm high on single door version, 300mm high on the double door version), pull-out frames for drop files and additional shelves.



### FIRE STOR

Model	External Dimensions (mm)			Internal Dimensions (mm)			Weight (kg)	Lever Arch Capacity <sup>1</sup>	Capacity (l)	Shelves
	Height	Width	Depth	Height	Width	Depth				
1023	860	600	520	690	490	405	95	12	137	1
1022	1,220	600	520	1,050	490	405	120	18	208	2
1021	1,580	600	520	1,410	490	405	145	24	280	3
1020	1,950	930	520	1,780	820	405	215	50	591	4
1024	1,950	1200	520	1,780	1,090	405	245	65	786	4

<sup>1</sup> Suggested capacities for Lever Arch files – 80mm width. • \*Insurance ratings may vary dependent on risk & location. Please check with your insurers.

**NORWICH**

61-67 St. Benedicts Street,  
Norwich, NR2 4PD  
Tel: 01603 216500  
Fax: 01603 216510  
Email: [sales@acleigh.co.uk](mailto:sales@acleigh.co.uk)

**COLCHESTER**

11 Grange Way,  
Whitehall Industrial Estate,  
Colchester, CO2 8HG  
Tel: 01206 877488  
Fax: 01206 877480  
Email: [colchester@acleigh.co.uk](mailto:colchester@acleigh.co.uk)

**IPSWICH**

Unit 2-3, Dencora Business Centre,  
Whitehouse Road, Ipswich, IPI 5LT  
Tel: 01473 292810  
Fax: 01473 292818  
Email: [ipswich@acleigh.co.uk](mailto:ipswich@acleigh.co.uk)

[www.acleigh.co.uk](http://www.acleigh.co.uk)